

IN THE CLAIMS:

The text of all pending claims, (including withdrawn claims) is set forth below. cancelled and not entered claims are indicated with claim number and status only. The claims as listed below show added text with underlining and deleted text with ~~strikethrough~~. The status of each claim is indicated with one of (original), (currently amended), (cancelled), (withdrawn), (new), (previously presented), or (not entered).

1. (CURRENTLY AMENDED) A server for providing information to a client via network, comprising:

a receiving module receiving, from said client, a providing request for the information, the providing request containing ~~a piece of access site information containing information on the location of an access site address where the user is located and from which said client accesses said network~~ a source address which corresponds to a location from which said client accesses said network and which is different depending on respective location, wherein a user of said client has a plurality of access sites and accesses said network through ~~from~~ a selected access site location among said plurality of access sites locations;

a URL management module extracting ~~the piece of access site information~~ the source address from the providing request, retrieving URLs corresponding to ~~the piece of access site information~~ the source address from a database, retrieving titles corresponding to the retrieved URLs from the database, and generating a document containing the retrieved URLs and the retrieved titles, wherein the database stores the URLs as being related to the source address and different URLs according to each piece of access site information of the locations; and

a transmitting module transmitting the generated document to said client, wherein said URL information is registered into the database in advance of the providing request by a user of said client, whereby said client obtains a different document according to said selected ~~access site location~~.

2-4. (CANCELLED)

5. (ORIGINAL) A server according to claim 1, wherein the information is a piece of information for indicating a location where the Web page is stored.

6. (CANCELLED)

7. (PREVIOUSLY PRESENTED) A server according to claim 1, wherein said database is stored with the files of the plurality of Web pages each containing the same information expressed in a different language.

8. (CURRENTLY AMENDED) A method for a server to provide information to a client via a network, comprising:

registering, in advance, in a database of the server, by a user of the client, the information that includes a URL information;

receiving a request, from said client, for providing the in advance registered information, the providing request containing ~~a piece of access site information containing information on the location of an access site address where the user is located and from which said client accesses said network~~ a source address which corresponds to a location from which said client accesses said network and which is different depending on respective location, wherein a user of said client has a plurality of access sites and accesses said network through from a selected access site location among said plurality of access sites locations;

extracting the ~~piece of access site information~~ the source address from the providing request, retrieving URLs corresponding to the ~~piece of access site information~~ the source address from the database, retrieving titles from the database corresponding to the retrieved URLs, and generating a document containing the retrieved URLs and the retrieved titles, wherein the database stores different URLs according to each ~~piece of access site information of the locations~~; and

transmitting the generated document to said client, whereby said client obtains a different document according to said selected ~~access site~~ location.

9-10. (CANCELLED)

11. (PREVIOUSLY PRESENTED) A method according to claim 8, wherein said extracting involves retrieving URLs corresponding to the piece of access site information from the database, the database storing files of a plurality of Web pages with their display contents different from each other.

12. (CURRENTLY AMENDED) A system comprising:
a client; and

a server for providing information to said client via a network,
wherein a user of the client registers in advance URL information into a database of the server;

wherein said client transmits a request for providing the registered information to said server, the information providing request containing ~~a piece of access site information containing information on the location of an access site address where the user is located and from which said client accesses said network~~ a source address which corresponds to a location from which said client accesses said network and which is different depending on respective location, wherein ~~a user of said client has a plurality of access sites and accesses said network through from a selected access site location among said plurality of access sites locations~~, and

said server receives the providing request, extracts the source address from the providing request, and retrieves URLs corresponding to ~~the access site information~~ the source address from the database, ~~then retrieves titles corresponding to the retrieved URLs from the database corresponding retrieved titles~~, wherein the database stores different URLs according to each piece of ~~access site information of the locations~~, and transmits the generated document to said client, whereby said client obtains a different document according to said selected access ~~site location~~.

13. (CURRENTLY AMENDED) A computer readable medium recorded with a program executed by a computer configuring a server in order for said server to provide URL information to a client via a network, said program controlling the computer according to a process comprising:

receiving from said client an information providing request containing ~~a piece of access site information containing information on the location of an access site address where the user is located and from which said client accesses said network~~ a source address which corresponds to a location from which said client accesses said network and which is different depending on respective location, wherein ~~a user of said client has a plurality of access sites and accesses said network through from a selected access site location among said plurality of access sites locations~~;

~~extracting the piece of access site information~~ the source address from the providing request, retrieving URLs corresponding to ~~the piece of access site information~~ the source address from a database, retrieving titles from the database corresponding to the retrieved URLs, and generating a document containing the retrieved URLs and the retrieved titles,

wherein the database stores different URLs according to each piece of ~~access site information~~
of the locations; and

transmitting the generated document to said client, wherein the retrieved URLs and the
retrieved titles are registered into the database of the server in advance of the providing request
according to a user of said client, whereby said client obtains a different document according to
said selected ~~access site location~~.

14-16. (CANCELLED)

17. (PREVIOUSLY PRESENTED) A server for providing information to a client via a
network according to claim 1, further comprising:

a registration module for accepting and storing information entered by the client for later
access by said client.

18. (PREVIOUSLY PRESENTED) A method of a server to provide information to a
client via a network according to claim 8, further comprising:

accepting and storing the information of the client for later access according to said
client.

19. (PREVIOUSLY PRESENTED) A system according to claim 12, further
comprising:

a registration module for accepting and storing the information of a user for later access
by said client.

20. (PREVIOUSLY PRESENTED) A computer readable medium according to claim
13, wherein the retrieved URLs and the retrieved titles are registered into the server by a user of
the client prior to the information providing request.

21. (CURRENTLY AMENDED) A method of providing a user with client specific data,
the method comprising:

receiving from the client a request for information specific to the user and the client, the
request including ~~the~~ a network address of the client;

extracting the network address from the received request, retrieving a uniform resource

locator corresponding to the network address from a database and retrieving information title corresponding to the retrieved uniform resource locator, wherein the database stores the uniform resource locator as being related to the network address; and

producing a document comprising the retrieved information title and ~~a the retrieved~~ uniform resource locator of the requested information, ~~the information produced by correlating the network address of the client to the uniform resource locator; and~~

transmitting to the client the produced document.